
**Significant and Maximum Wave High at specific
regions around Cyprus - Monthly Means (2001-
2010)**

Scientific Report

Oceanography Center
University of Cyprus

**Giuseppe Tievoli, Andreas Nikolaidis,
George Zodiatis.**



Nicosia
October 2014

Region 1

	Significant Wave High Mean (m)	Maximum Wave High Mean (m)	Maximum Wave High Maximum (m) - (year occurred)
January	0.71727	1.4315	2.9016 (2004)
February	0.84766	1.6915	3.8325 (2003)
March	0.68016	1.3572	2.4083 (2003)
April	0.62545	1.2474	1.987 (2003)
May	0.51094	1.015	1.8413 (2004)
June	0.57209	1.1448	1.8112 (2001)
July	0.63396	1.2712	1.9206 (2006)
August	0.59373	1.1874	1.9774 (2002)
September	0.51298	1.0188	1.7893 (2007)
October	0.38879	0.76297	1.5714 (2003)
November	0.47532	0.93779	2.1457 (2004)
December	0.70418	1.4014	2.763 (2001)

Region 2

	Significant Wave High Mean (m)	Maximum Wave High Mean (m)	Maximum Wave High Maximum (m) - (year occurred)
January	0.71259	1.4400	2.5021 (2004)
February	0.78152	1.5733	3.0458 (2003)
March	0.60186	1.2047	2.2172 (2009)
April	0.53290	1.0622	1.6979 (2001)
May	0.40224	0.79232	1.4866 (2004)
June	0.44616	0.88452	1.4215 (2010)
July	0.53577	1.0726	1.6164 (2009)
August	0.46725	0.92813	1.6240 (2002)
September	0.36431	0.71333	1.4739 (2008)
October	0.30509	0.59051	1.2791 (2010)
November	0.46110	0.91383	1.8576 (2004)
December	0.71101	1.4342	2.4466 (2001)

Region 3

	Significant Wave High Mean (m)	Maximum Wave High Mean (m)	Maximum Wave High Maximum (m) - (year occurred)
January	0.87661	1.7712	3.1998 (2004)
February	0.96246	1.9346	3.5545 (2003)
March	0.80494	1.6136	2.4670 (2009)
April	0.70461	1.4079	1.8989 (2001)
May	0.56939	1.1343	1.7075 (2004)
June	0.62131	1.2404	1.7428 (2006)
July	0.64731	1.2905	1.7992 (2006)
August	0.62670	1.2478	1.8686 (2002)
September	0.63947	1.2737	1.7509 (2008)
October	0.51729	1.0270	1.4588 (2003)
November	0.60906	1.2144	1.9235 (2004)
December	0.83056	1.6747	2.9016 (2003)

Region 4

	Significant Wave High Mean (m)	Maximum Wave High Mean (m)	Maximum Wave High Maximum (m) - (year occurred)
January	0.93907	1.8900	3.3263 (2004)
February	1.0492	2.1040	3.9897 (2003)
March	0.84156	1.6837	2.6998 (2009)
April	0.71968	1.4355	1.9959 (2003)
May	0.56411	1.1202	1.6726 (2001)
June	0.62495	1.2416	1.6346 (2006)
July	0.67971	1.3485	1.6984 (2009)
August	0.64963	1.2872	1.8622 (2004)
September	0.63213	1.2547	1.7230 (2004)
October	0.50398	0.99847	1.4641 (2003)
November	0.63579	1.2647	2.1387 (2004)
December	0.88544	1.7766	3.0693 (2003)

Region 5

	Significant Wave High Mean (m)	Maximum Wave High Mean (m)	Maximum Wave High Maximum (m) - (year occurred)
January	0.93663	1.8765	3.3063 (2004)
February	1.1107	2.2235	3.9869 (2003)
March	0.88819	1.7745	2.6925 (2009)
April	0.76898	1.5356	1.9942 (2003)
May	0.60212	1.2004	1.6720 (2001)
June	0.66192	1.3240	1.6321 (2006)
July	0.73346	1.4662	1.6975 (2009)
August	0.68772	1.3746	1.8645 (2002)
September	0.67810	1.3536	1.7245 (2007)
October	0.54628	1.0841	1.4959 (2003)
November	0.66054	1.3132	2.1505 (2004)
December	0.90033	1.7976	3.0099 (2003)

Region 6

	Significant Wave High Mean (m)	Maximum Wave High Mean (m)	Maximum Wave High Maximum (m) - (year occurred)
January	0.90797	1.8133	3.0581 (2004)
February	1.0892	2.1732	3.8781 (2003)
March	0.89310	1.7798	2.4124 (2009)
April	0.79918	1.5925	1.9874 (2003)
May	0.66802	1.3293	1.8397 (2004)
June	0.72619	1.4467	1.8035 (2001)
July	0.78927	1.5703	1.8888 (2006)
August	0.74793	1.4862	1.9657 (2002)
September	0.72428	1.4389	1.7950 (2007)
October	0.58820	1.1659	1.5817 (2003)
November	0.65080	1.2929	2.1469 (2004)
December	0.88490	1.7618	3.0032 (2001)

