



REPUBLIC OF CYPRUS
SHIPPING DEPUTY MINISTRY

Circular No. 23/2022

3 June 2022

SDM File No.05.13.002

To All Registered owners, Registered bareboat charterers, Managers and Representatives of ships flying the Cyprus Flag

Subject: Multi-country monkeypox outbreak in non-endemic countries

1 Since 13 May 2022, cases of monkeypox have been reported to the World Health Organization (WHO) by 23 WHO Member States that are not endemic for monkeypox virus, across three WHO regions. Epidemiological investigations are ongoing; however, the vast majority of reported cases so far have no established travel links to an endemic area and have presented through primary care or sexual health services.

2 The purpose of this Circular is to disseminate information and guidance on the monkeypox disease, issued by the International Maritime Organization (IMO) based on recommendations developed by WHO. To this end **IMO Circular Letter No. 4575** dated 31 May 2022, which provided the salient information, **is attached**.

3 As the IMO Circular letter advises anyone who has direct contact with an infected person, including intimate or sexual contact, can get monkeypox. If people develop a rash, accompanied by fever or a feeling of discomfort or illness, they should contact their healthcare provider and get tested for monkeypox.

3.1 If someone is suspected or confirmed as having monkeypox, they should isolate at home or in an appropriate facility until the scabs have fallen off and abstain from sex.

3.2 Any rash-like illness during travel or upon return should be immediately reported to a health professional, including information about all recent travel, sexual history and smallpox immunization history.

4. As indicated in the IMO Circular letter, additional information can be found at:
- [Multi-country monkeypox outbreak in non-endemic countries](https://www.who.int/emergencies/disease-outbreak-news/item/2022-DON385)¹ issued by WHO on 21 May 2022;
 - [Multi-country monkeypox outbreak in non-endemic countries](https://www.who.int/emergencies/disease-outbreak-news/item/2022-DON388)² update issued by WHO on 29 May 2022; and
 - [Circular ICS\(22\)18](https://www.intertanko.com/images/topics-issues/human_element/2022/ICS2218_-_MULTI-COUNTRY_MONKEYPOX_OUTBREAK_IN_NON-ENDEMIC_COUNTRIES.pdf)³, issued by ICS on 26 May 2022

¹ <https://www.who.int/emergencies/disease-outbreak-news/item/2022-DON385>

² <https://www.who.int/emergencies/disease-outbreak-news/item/2022-DON388>

³ [https://www.intertanko.com/images/topics-issues/human_element/2022/ICS2218 - MULTI-COUNTRY MONKEYPOX OUTBREAK IN NON-ENDEMIC COUNTRIES.pdf](https://www.intertanko.com/images/topics-issues/human_element/2022/ICS2218_-_MULTI-COUNTRY_MONKEYPOX_OUTBREAK_IN_NON-ENDEMIC_COUNTRIES.pdf)

4 This Circular and its attachment should be:

- (1) available on board all ships flying the Cyprus flag;
- (2) brought to the attention of all seafarers employed on board such ships; and
- (3) brought to the attention of all shore-based personnel you employ or engage for providing services to such ships.



Liana Charalambous Tanos
Acting Permanent Secretary

- cc. - Permanent Secretary, Ministry of Foreign Affairs
- Permanent Secretary, Ministry of Transport, Communication and Works
 - Permanent Secretary, Ministry of Health
 - Director, Department of Medical & Health Services
 - Diplomatic and Consular Missions and Honorary Consular Officers of Cyprus
 - Maritime Offices of the Shipping Deputy Ministry abroad
 - Cyprus Ports Authority
 - Cyprus Bar Association
 - Cyprus Shipping Chamber
 - Cyprus Union of Shipowner
 - Women's International Shipping & Trading Association (WISTA) Cyprus
 - Association of Merchant Marine Officers
 - Cyprus Master Mariners Association
 - SEK Trade Union
 - PEO Trade Union
 - DEOK Trade Union

4 ALBERT EMBANKMENT
LONDON SE1 7SR
Telephone: +44 (0)20 7735 7611 Fax: +44 (0)20 7587 3210

Circular Letter No.4575
31 May 2022

To: All IMO Member States
Intergovernmental organizations
Non-governmental organizations in consultative status with IMO

Subject: **Multi-country monkeypox outbreak in non-endemic countries**

1 The purpose of this circular letter is to disseminate information and guidance on the monkeypox disease, based on recommendations developed by the World Health Organization (WHO).

2 Monkeypox is a viral zoonosis (a virus transmitted to humans from animals) with symptoms similar to those seen in the past in smallpox patients, although it is clinically less severe. With the eradication of smallpox in 1980 and subsequent cessation of smallpox vaccination, monkeypox has emerged as the most important orthopoxvirus for public health. Monkeypox primarily occurs in Central and West Africa, often in proximity to tropical rainforests, and has been increasingly appearing in urban areas. Animal hosts include a range of rodents and non-human primates.

3 Since 13 May 2022, cases of monkeypox have been reported to WHO by 23 Member States that are not endemic for monkeypox virus, across three WHO regions. Epidemiological investigations are ongoing, however, the vast majority of reported cases so far have no established travel links to an endemic area and have presented through primary care or sexual health services. One case of monkeypox in a non-endemic country is considered an outbreak. The sudden appearance of monkeypox simultaneously in several non-endemic countries suggests that there may have been undetected transmission for some time as well as recent amplifying events.

4 As of 26 May 2022, a cumulative total of 257 laboratory confirmed cases and around 120 suspected cases have been reported to WHO. No deaths have been reported. The situation is evolving and WHO expects there will be more cases of monkeypox identified as surveillance expands in non-endemic countries.

5 Monkeypox virus is transmitted from one person to another by close contact with lesions, body fluids, respiratory droplets and contaminated materials such as bedding. Early epidemiology of initial cases notified to WHO by countries shows that cases have been mainly reported among men who have sex with men.

6 Monkeypox is usually a self-limited disease with the symptoms lasting from 2 to 4 weeks. The incubation period (interval from infection to onset of symptoms) of monkeypox is usually from 6 to 13 days but can range from 5 to 21 days. The infection can be divided into two periods:

- .1 the invasion period (lasts between 0 to 5 days) characterized by fever, intense headache, lymphadenopathy (swelling of the lymph nodes), back pain, myalgia (muscle aches) and intense asthenia (lack of energy); and
- .2 the skin eruption usually begins within 1 to 3 days of appearance of fever. The rash tends to be more concentrated on the face and extremities rather than on the trunk. The rash evolves sequentially from macules (lesions with a flat base) to papules (slightly raised firm lesions), vesicles (lesions filled with clear fluid), pustules (lesions filled with yellowish fluid), and crusts which dry up and fall off. The number of lesions varies from a few to several thousand. In severe cases, lesions can coalesce until large sections of skin slough off.

7 The case fatality ratio of monkeypox has historically ranged from 0 to 11% in the general population and has been higher among young children. In recent times, the case fatality ratio has been around 3 to 6%. Severe cases occur more commonly among children and are related to the extent of virus exposure, patient health status and the nature of complications. Underlying immune deficiencies may lead to worse outcomes.

8 Vaccination against smallpox was demonstrated through several observational studies to be about 85% effective in preventing monkeypox. However, today persons younger than 40 to 50 years of age (depending on the country) may be more susceptible to monkeypox due to cessation of smallpox vaccination campaigns globally after eradication of the disease. Complications of monkeypox can include secondary infections, bronchopneumonia, sepsis, encephalitis, and infection of the cornea with ensuing loss of vision.

9 Various animal species have been identified as susceptible to the monkeypox virus. Uncertainty remains on the natural history of the monkeypox virus and further studies are needed to identify the reservoir(s) and how virus circulation is maintained in nature. Eating inadequately cooked meat and other animal products of infected animals is a possible risk factor.

10 Public health outbreak investigations are ongoing in countries that have identified cases, including extensive case finding and contact tracing, laboratory investigation, clinical management and case isolation.

11 There are two clades of monkeypox virus: the West African clade and the Congo Basin (Central African) clade. The Congo Basin clade appears to cause severe disease more frequently with case fatality ratio (CFR) previously reported of up to around 10%. Currently, the Democratic Republic of the Congo is reporting a CFR among suspected cases of around 3%. The West African clade has in the past been associated with an overall lower CFR of around 1% in a generally younger population in the African setting. Diagnostic assays specific for monkeypox have so far found that the West African clade of the monkeypox virus is present in this multi-country outbreak.

12 Smallpox and monkeypox vaccines, where available, are being deployed in a limited number of countries to manage close contacts. While smallpox vaccines have been shown to be protective against monkeypox, there is also one vaccine approved for prevention of monkeypox.

13 Currently, the overall public health risk at global level is assessed as moderate considering this is the first time that monkeypox cases and clusters are reported concurrently in widely disparate WHO geographical areas, and without known epidemiological links to endemic countries in West or Central Africa.

14 The public health risk could become high if this virus exploits the opportunity to establish itself as a human pathogen and spreads to groups at higher risk of severe disease such as young children and immunosuppressed persons; a large part of the population is vulnerable to monkeypox virus, as smallpox vaccination, which confers some cross-protection, has been discontinued since 1980 or earlier in some countries.

15 Anyone who has direct contact with an infected person, including intimate or sexual contact, can get monkeypox. Steps for self-protection include avoiding physical contact with the person. It is also critical to avoid intimate or sexual contact with someone with a localized anogenital rash and/or oral ulcers. During the early phase of this outbreak while information is still being collected, it would be prudent to limit the number of sex partners, keep hands clean with water and soap or alcohol-based gels, and maintain respiratory etiquette and hand hygiene.

16 If people develop a rash, accompanied by fever or a feeling of discomfort or illness, they should contact their healthcare provider and get tested for monkeypox. If someone is suspected or confirmed as having monkeypox, they should isolate at home or in an appropriate facility until the scabs have fallen off and abstain from sex. During this period, patients must be offered supportive medical care to ease monkeypox symptoms such as pain or itchiness. Patients should be monitored for early detection of any medical complications of the illness. Anyone caring for a person sick with monkeypox should use appropriate personal protective measures.

17 Any rash-like illness during travel or upon return should be immediately reported to a health professional, including information about all recent travel, sexual history and smallpox immunization history.

18 Residents and travellers to monkeypox-endemic countries should avoid contact with sick mammals such as rodents, marsupials, non-human primates (dead or alive) that could harbour monkeypox virus and should refrain from eating or handling wild game (bush meat).

19 Additional information can be found at:

[Multi-country monkeypox outbreak in non-endemic countries \(who.int\)](#)

[Multi-country monkeypox outbreak in non-endemic countries: Update \(who.int\)](#)

[Monkeypox \(who.int\)](#)

and in Circular ICS(22)18, issued by ICS on 26 May 2022, available at:

https://www.intertanko.com/images/topics-issues/human_element/2022/ICS2218_-_MULTI-COUNTRY_MONKEYPOX_OUTBREAK_IN_NON-ENDEMIC_COUNTRIES.pdf
